AMENDMENTS TO THE CLAIMS

Please cancel claims 55, 56, 63, 64, 71, 72, 79 and 80 without prejudice to further prosecution of their subject matter in this or another application, and please amend claims 54, 62, 70, 78, 86, 88, 90 and 91 as provided in the following complete listing of the claims.

- 1-53. (Previously cancelled).
- 54. (Currently Amended) A method for managing a storage area network (SAN), the method comprising:
 - defining storage domains respectively having associated configurable storage

 management properties that are separate from individual physical capabilities of
 physical storage resources available through the SAN, wherein a first set of
 storage management properties is associated with a first storage domain and a
 second set of storage management properties is associated with a second storage
 domain, with the first set of storage management properties being different
 from the second set of storage management properties;
 - accommodating the creation of logical volumes configurable for presentation to hosts through the SAN; and
 - allocating the logical volumes to hosts in the context of the storage domains, wherein allocating a first logical volume to a first host in the context of the first storage domain entails the provision of storage resources according to the first set of storage management properties and allocating a second volume to a second host in the context of the second storage domain entails the provision of storage resources according to the second set of storage management properties

wherein presentation of logical volumes to hosts accommodates storage resource

access by hosts without requiring hosts to be configured according to the

requirements of the physical storage resources, and wherein said allocation of
the first logical volume to the first host entails the provision of storage

resources according to the first set of storage management properties and said
allocation of the second logical volume to the second host subject entails the
provision of storage resources according to the second set of storage
management properties even though the first logical volume and second logical
volume are created from physical storage resources in common.

- 55. (Canceled).
- 56. (Canceled).
- 57. (Previously Presented) The method of claim 54, wherein the storage management properties comprise a guaranteed storage capacity.
- 58. (Previously Presented) The method of claim 54, wherein the storage management properties comprise a guaranteed I/O properties that include an I/O bandwidth and/or an I/O operations.
- 59. (Previously Presented) The method of claim 54, wherein the storage management properties comprise a guaranteed availability.
- 60. (Previously Presented) The method of claim 54, wherein the storage management properties comprise a guaranteed performance.
- 61. (Previously Presented) The method of claim 54, wherein the storage management properties comprise a guaranteed integrity.

62. (Currently Amended) A computer program product for managing a storage area network (SAN), the computer program product stored on a computer readable medium and adapted to perform operations comprising:

defining storage domains respectively having associated configurable storage

management properties that are separate from individual physical capabilities of
physical storage resources available through the SAN, wherein a first set of
storage management properties is associated with a first storage domain and a
second set of storage management properties is associated with a second storage
domain, with the first set of storage management properties being different
from the second set of storage management properties;

accommodating the creation of logical volumes configurable for presentation to hosts through the SAN; and

allocating the logical volumes to hosts in the context of the storage domains, wherein allocating a first logical volume to a first host in the context of the first storage domain entails the provision of storage resources according to the first set of storage management properties and allocating a second volume to a second host in the context of the second storage domain entails the provision of storage resources according to the second set of storage management properties,

wherein presentation of logical volumes to hosts accommodates storage resource

access by hosts without requiring hosts to be configured according to the

requirements of the physical storage resources, and wherein said allocation of
the first logical volume to the first host entails the provision of storage

resources according to the first set of storage management properties and said
allocation of the second logical volume to the second host subject entails the

provision of storage resources according to the second set of storage

management properties even though the first logical volume and second logical

volume are created from physical storage resources in common.

- 63. (Canceled).
- 64. (Canceled).
- 65. (Previously Presented) The computer program product of claim 62, wherein the storage management properties comprise a guaranteed storage capacity.
- 66. (Previously Presented) The computer program product of claim 62, wherein the storage management properties comprise a guaranteed I/O properties that include an I/O bandwidth and/or an I/O operations.
- 67. (Previously Presented) The computer program product of claim 62, wherein the storage management properties comprise a guaranteed availability.
- 68. (Previously Presented) The computer program product of claim 62, wherein the storage management properties comprise a guaranteed performance.
- 69. (Previously Presented) The computer program product of claim 62, wherein the storage management properties comprise a guaranteed integrity.
- 70. (Currently Amended) An apparatus for managing a storage area network (SAN), the apparatus comprising:

means for defining storage domains respectively having associated configurable storage management properties that are separate from individual physical capabilities of physical storage resources available through the SAN, wherein a first set of storage management properties is associated with a first storage domain and a second set of storage management properties is associated with a

second storage domain, with the first set of storage management properties

being different from the second set of storage management properties;

means for accommodating the creation of logical volumes configurable for presentation to hosts through the SAN; and

means for allocating the logical volumes to hosts in the context of the storage domains, wherein allocating a first logical volume to a first host in the context of the first storage domain entails the provision of storage resources according to the first set of storage management properties and allocating a second volume to a second host in the context of the second storage domain entails the provision of storage resources according to the second set of storage management properties

wherein presentation of logical volumes to hosts accommodates storage resource

access by hosts without requiring hosts to be configured according to the

requirements of the physical storage resources, and wherein said allocation of

the first logical volume to the first host entails the provision of storage

resources according to the first set of storage management properties and said

allocation of the second logical volume to the second host subject entails the

provision of storage resources according to the second set of storage

management properties even though the first logical volume and second logical

volume are created from physical storage resources in common.

- 71. (Canceled).
- 72. (Canceled).
- 73. (Previously Presented) The apparatus of claim 70, wherein the storage management properties comprise a guaranteed storage capacity.

74. (Previously Presented) The apparatus of claim 70, wherein the storage management properties comprise a guaranteed I/O properties that include an I/O bandwidth and/or an I/O operations.

- 75. (Previously Presented) The apparatus of claim 70, wherein the storage management properties comprise a guaranteed availability.
- 76. (Previously Presented) The apparatus of claim 70, wherein the storage management properties comprise a guaranteed performance.
- 77. (Previously Presented) The apparatus of claim 70, wherein the storage management properties comprise a guaranteed integrity.
- 78. (Currently Amended) A storage area network (SAN) that accommodates presentation of logical volumes to hosts and associates access to storage with configurable storage management properties defined by a storage domain, the storage area network comprising:

storage domains respectively defined to have associated configurable storage

management properties that are separate from individual physical capabilities of
physical storage resources available through the SAN, wherein a first set of
storage management properties is associated with a first storage domain and a
second set of storage management properties is associated with a second storage
domain, with the first set of storage management properties being different
from the second set of storage management properties;

logical volumes configurable for presentation to hosts through the SAN; and means for allocating the logical volumes to hosts in the context of the storage domains, wherein allocating a first logical volume to a first host in the context of the first storage domain entails the provision of storage resources according to the first set of storage management properties and allocating a second volume to a

second host in the context of the second storage domain entails the provision of storage resources according to the second set of storage management properties wherein presentation of logical volumes to hosts accommodates storage resource access by hosts without requiring hosts to be configured according to the requirements of the physical storage resources, and wherein said allocation of the first logical volume to the first host entails the provision of storage resources according to the first set of storage management properties and said allocation of the second logical volume to the second host subject entails the provision of storage resources according to the second set of storage management properties even though the first logical volume and second logical volume are created from physical storage resources in common.

- 79. (Canceled).
- 80. (Canceled).
- 81. (Previously Presented) The SAN of claim 78, wherein the storage management properties comprise a guaranteed storage capacity.
- 82. (Previously Presented) The SAN of claim 78, wherein the storage management properties comprise a guaranteed I/O properties that include an I/O bandwidth and/or an I/O operations.
- 83. (Previously Presented) The SAN of claim 78, wherein the storage management properties comprise a guaranteed availability.
- 84. (Previously Presented) The SAN of claim 78, wherein the storage management properties comprise a guaranteed performance.
- 85. (Previously Presented) The SAN of claim 78, wherein the storage management properties comprise a guaranteed integrity.

86. (Currently Amended) The method of claim 56 54, wherein the first set of storage management properties includes a first class of service and the second set of storage management properties includes includes a second class of service, whereby access of the eommon-volume first and second volumes by the first and second hosts entails differing classes of service.

- 87. (Previously Presented) The method of claim 54, wherein the first and second sets of storage management properties are softly configured such that they are reconfigurable without requiring an update of the connections to the physical storage resources.
- 88. (Currently Amended) The computer program product of claim 64 62, wherein the first set of storage management properties includes a first class of service and the second set of storage management properties including includes a second class of service, whereby access of the common volume first and second volumes by the first and second hosts entails differing classes of service.
- 89. (Previously Presented) The computer program product of claim 62, wherein the first and second sets of storage management properties are softly configured such that they are reconfigurable without requiring an update of the connections to the physical storage resources.
- 90. (Currently Amended) The apparatus of claim 70 68, wherein the first set of storage management properties includes a first class of service and the second set of storage management properties includes includes a second class of service, whereby access of the common volume first and second volumes by the first and second hosts entails differing classes of service.
- 91. (Currently Amended) The SAN of claim 80 78, wherein the first set of storage management properties includes a first class of service and the second set of storage management properties includes a second class of service, whereby access of the

common volume first and second volumes by the first and second hosts entails differing classes of service.

92. (Previously Presented) The SAN of claim 78, wherein the first and second sets of storage management properties are softly configured such that they are reconfigurable without requiring an update of the connections to the physical storage resources.